16b. Risky Areas Risk Assessment for The Lyceum School						
Risk Assessment for: Risky Areas	Date of Risk Assessment 27 th April 2021	Reviewed: 4 th April 2021				
		Review Date: 4 th April 2022				
Carried out by: Hilary Wyatt	Approved by:	Original Written				
	Hilay Wgall	Date: 10 th September 2020				

What are the Hazards?	Level of risk			Who might be harmed and how?	Control Measures			
	Low	Med	High		Action to be taken to lower the risk.	Action by whom?	Action by when?	Level of risk reduced to low
Children wandering into the kitchen			V	Pupils	 All children are supervised at all times. The kitchen is out of bounds to all children. The dining room door is shut when no adults are present Kitchen staff in attendance during the day when the dining room door is open 	Chef and kitchen staff	Daily	V
Children entering the basement storage areas and getting locked in. Children having access to the cleaners' cupboard.			V	Pupils	The door to the basement storage area is always locked and the cleaning cupboard is also locked. The cleaners only access their cleaning materials after the children have left.	Chef and kitchen team. Caretaker.	Daily	V

Page 1 of 2 The Lyceum School is committed to safeguarding and promoting the welfare of children and young people and expects all staff and volunteers to share this commitment. It is our aim that all pupils fulfil their potential.

				All hazardous substances locked away.	
Materials in Art/science Room		V	Pupils may gain access to crafting materials including scissors, stapler	 All materials checked and child friendly / non- hazardous. Teacher's scissors safely stored away, portable electrical equipment is tested by an independent PAT testing company (yearly assessment) and passed. Class teachers. Art Teacher's Daily Daily 	V